



Lumière 2017 - 2018






shtorm
GROUP









Item: SG-LT-I-BTP




Item: SG-LT-I-BTP





Item: SG-LT-I-BTP






P0191-6A

Description: Pendant Lamp
Material: Pure Aluminium
Watts: 22w
Led Input: Ac 90-260vac 50/60hz Ip20
Colour: Silver White Black
Product Size(mm): 800*58*150

P0191-9A

Description: Pendant Lamp
Material: Pure Aluminium
Watts: 40w
Led Input: Ac 90-260vac 50/60hz Ip20
Colour: Silver White Black
Product Size(mm): 1200*58*150





PL019-750B

Description: Pendant Lamp
Material: Pure Aluminium
Watts: 50w
Led Input: Ac 90-260vac 50/60hz Ip20
Colour: Coffee
Product Size(mm): Φ750*295h

PL019-600B

Description: Pendant Lamp
Material: Pure Aluminium
Watts: 40w
Led Input: Ac 90-260vac 50/60hz Ip20
Colour: Coffee
Product Size(mm): Φ600x270h



Item: SG-LT-JYL

P0184-5A

Description: Pendant Lamp

Material: Pure Aluminium

Watts: 25w

Led Input: Ac 90-260vac 50/60hz Ip20

Colour: Black+ Gold

Product Size(mm): 800*52*1200



P0184-7A

Description: Pendant Lamp

Material: Pure Aluminium

Watts: 35w

Led Input: Ac 90-260vac 50/60hz Ip20

Colour: Black+ Gold

Product Size(mm): 1200*52*1200







22621

- ↑ 1000 mm
 - ↔ 230 mm
 - ⊙ 1 x E27 max 60W
- shade 80105



22591

- ↑ 1000 mm
 - ↔ 230 mm
 - ⊙ 1 x E27 max 60W
- shade 80106



22623

- ↑ 1000 mm
 - ↔ 500 mm
 - ⊙ 3 x E27 max 60W
- shade 80102



Item: SG-FE-ALF



16443
 ↓ 1200 mm
 ↔ 450 mm
 ○ 1 x E27 max 60W
 shade 80099

16441
 ↓ 1200 mm
 ↔ 450 mm
 ○ 1 x E27 max 60W
 shade 80079

16442
 ↓ 1200 mm
 ↔ 450 mm
 ○ 1 x E27 max 60W
 shade 80080



12504
 ↓ 1030 mm
 ↔ 350 mm
 ○ 1 x E27 max 60W
 shade 80051

12502
 ↓ 1030 mm
 ↔ 280 mm
 ○ 1 x E27 max 60W
 shade 80007

12501
 ↓ 1030 mm
 ↔ 280 mm
 ○ 1 x E27 max 60W
 shade 80006

12503
 ↓ 1030 mm
 ↔ 350 mm
 ○ 1 x E27 max 60W
 shade 80036

12508
 ↓ 230 mm
 ↔ 320 mm
 ○ 1 x E27 max 60W
 shade 80010

12507
 ↓ 230 mm
 ↔ 320 mm
 ○ 1 x E27 max 60W
 shade 80052






20516
 ↓ 1050 mm
 ↔ 165 mm
 ○ 1 x E27 max 60W

20641
 ↓ 1050 mm
 ↔ 165 mm
 ○ 1 x E27 max 60W

20511
 ↓ 1050 mm
 ↔ 165 mm
 ○ 1 x E27 max 60W

20643
 ↓ 1050 mm
 ↔ 630 mm
 ○ 3 x E27 max 60W



20513
 ↓ 1050 mm
 ↔ 630 mm
 ○ 3 x E27 max 60W



20517
 ↓ 1050 mm
 ↔ 630 mm
 ○ 3 x E27 max 60W



+ 10185
 ↓ 1180 mm
 ↔ 220 mm
 ○ 1 x E27 max 60W
 † glass 8840
 ‡ glass 8003



+ 10188
 ↓ 1180 mm
 ↔ 220 mm
 ○ 1 x E27 max 60W
 † glass 8502
 ‡ glass 8003

+ 10187
 ↓ 1180 mm
 ↔ 220 mm
 ○ 1 x E27 max 60W
 † glass 8501
 ‡ glass 8003

+ 10189
 ↓ 1180 mm
 ↔ 220 mm
 ○ 1 x E27 max 60W
 † glass 8503
 ‡ glass 8003

+ 10184
 ↓ 1180 mm
 ↔ 220 mm
 ○ 1 x E27 max 60W
 † glass 8499
 ‡ glass 8003

+ 10186
 ↓ 1180 mm
 ↔ 220 mm
 ○ 1 x E27 max 60W
 † glass 8500
 ‡ glass 8003

+ 1303
 ↓ 1180 mm
 ↔ 220 mm
 ○ 1 x E27 max 60W
 † glass 8270
 ‡ glass 8003





YD-DT1779A
1xE27
Iron
D220xH470mm



YD-DT1780A
1xE27
Iron
D330xH390mm



YD-DT1778A
1xE27
Iron
D130xH320mm



YD-DT1778C
1xE27
Iron
D260xH300mm



YD-DT1778E
1xE27
Iron
D380xH250mm



YD-DT1778B
1xE27
Iron
D260xH310mm



YD-DT1778D
1xE27
Iron
D310xH300mm









YD-DT1745S
1xE27
Iron, Glass
D180xH200mm

YD-DT1745L
1xE27
Iron, Glass
D230xH220mm

CL



BK+AMBER

YD-DT1771B
1xE27
Iron, Glass
D200xH320mm

YD-DT1771D
1xE27
Iron, Glass
D250xH300mm

YD-DT1771C
1xE27
Iron, Glass
D180xH380mm

YD-DT1771A
1xE27
Iron, Glass
D130xH415mm

Item: UR982-20
Size: D54*H52CM




Item: UR979-20R
Size: D50*H80CM



Item: UR979-20
Size: D50*H80CM

Item: UR978
Size: D81*H81CM



Item: SG-LT-U2L





Item: C7027B-B
Size: D44*H53CM
Cbm: 0.11



Item: C7027B-W
Size: D44*H53CM
Cbm: 0.11



Item: C7025B-W
Size: D44*H41CM
Cbm: 0.122



Item: C7025 Brass
Size: D44*H41CM
Cbm : 0.122



Item: C7025W-LB
Size: D44*H41CM
Cbm: 0.122



Item: C7026B-W
Size: D38*H38CM
Cbm: 0.1



Item: C7026G-B
Size: D38*H38CM
Cbm: 0.1

Item: SG-LT-U2L



Item: C710G-C
Size: D45*H52CM
Cbm: 0.056



Item: C710G-W
Size: D45*H52CM
Cbm: 0.056



Item: C710S
Size: D28*H30CM
Cbm : 0.03



Item: C708S
Size: D28*H28CM
Cbm: 0.026



Item: C709S
Size: D22*H33CM
Cbm: 0.02



Item: C2039
Size: D30*H30CM
Cbm : 0.027



Item: C2030
Size: D40*H37CM
Cbm: 0.08



Item: C711(Chromed)
Size: D45*H64CM
Cbm : 0.12



Item: C725Brass
Size: D40XH43CM
Cbm: 0.064



Item: C740M-C
Size: D47*H38CM
Cbm: 0.09



Item: C740S_B
Size: D36*H30CM
Cbm : 0.04

Item: SG-LT-U2L



Item: UR981-18
Size: D90*H100CM



Item: C2025-7
Size: D78*H140CM



Item: C2025-5 Small/Large
Size: D67*H105/D87*H130CM



Item: UR1004-4+4
Size: D120CM



Item: C1006-5+5 Copper
Size: D86*H104CM



Item: C1006-5+5 Black
Size: D86*H104CM

Item: SG-LT-U2L



Item: UR834
Size: L33*H25CM



Item: UR830/UR830S
Size: D70/D40CM



Item: UR835/UR835S
Size: D40*H40/D25*H27CM



Item: UR931
Size: D59*H31CM



Item: UR931S/M
Size: D36/59*H19/31CM



Item: UR836
Size: D48*H37CM

Item: SG-LT-U2L



Item: UR1000-A
Size: D36*H31CM



Item: UR1000-CS/L
Size: D36*H35/D40*38CM



Item: UR1000-B
Size: D26*H41CM



Item: UR1000G-A
Size: D28CM



Item: UR1000G-B
Size: D22CM



Item: UR1000G-C
Size: D33CM



Item: MT308C
Size: D21*H40CM



Item: MT308S
Size: D17*H31CM



Item: MT309
Size: D36XW22XH50CM

Item: SG-LT-U2L



Item: TB029
Size: D17*H40CM



Item: C162
Size: D47*H78CM
Cbm: 0.045
Bulbs Qty: 5



Item: C2032A
Size: D21*H30CM
Cbm: 0.01



Item: UR988-3
Size: D40*H45CM
Cbm: 0.04
Bulb Qty:3

Item: F162
Size: D72*H173CM
Cbm: 0.13
Bulbs Qty: 5



Item: SG-LT-U2L



ITEM:UR902-12S
SIZE:D40XH75cm
VOLUME:0.0832cbm/pc
ITEM:UR902-12M
SIZE:D44XH90cm
VOLUME:0.275cbm/pc



ITEM:UR902-20
SIZE:D90XH95cm
VOLUME:0.018cbm/pc



ITEM:T902S
SIZE:D40XH60cm
VOLUME:0.12cbm/pc



ITEM:F902
SIZE:D65XH145cm
VOLUME:0.35cbm/pc



ITEM:F701B(M)
SIZE:D33XH155cm
VOLUME:0.07cbm/pc



ITEM:F701M
SIZE:D33XH155cm
VOLUME:0.062cbm/pc



ITEM:F701MD
SIZE:D82XH165cm
VOLUME:0.09cbm/pc



ITEM:F701
SIZE:D45XH167cm
VOLUME:0.105cbm/pc

Item: SG-LT-U2L



ITEM:T722
 SIZE:D18XH32cm
 VOLUME:0.017cbm/pc



ITEM:C718S
 SIZE:D28XH90cm
 VOLUME:0.013cbm/pc

ITEM:C718L
 SIZE:D35XH98cm
 VOLUME:0.024cbm/pc



ITEM:C718 ,W718
 SIZE:L30XW15XH38cm
 VOLUME:0.007cbm/pc



ITEM:C716
 SIZE:D21XH60cm
 VOLUME:0.039cbm/pc



ITEM:F722
 SIZE:D75XH180cm
 VOLUME:0.138cbm/pc



ITEM:F718
 SIZE:D13XH125cm
 VOLUME:0.039cbm/pc



ITEM:F716
 SIZE:D21XH135cm
 VOLUME:0.078cbm/pc



ITEM:F719
 SIZE:D21XH160cm
 VOLUME:0.061cbm/pc



ITEM:C121
 SIZE:D36XH27cm
 VOLUME:0.035cbm/pc



ITEM:C530
 SIZE:D53XH18cm
 VOLUME:0.043cbm/pc



ITEM:C740 S (Black)
 SIZE:D36cm
 Volume:0.024cbm



ITEM:C740 S (White)
 SIZE:D36cm
 Volume:0.024cbm



ITEM:UR2013
 SIZE:D26XH27cm
 VOLUME:0.024cbm/pc



ITEM:C124
 SIZE:D28XH38cm
 VOLUME:0.036cbm/pc

ITEM:C740 M (Black)
 SIZE:D46cm
 Volume:0.046cbm

ITEM:C740 M (White)
 SIZE:D46cm
 Volume:0.046cbm



ITEM:C740 S (Nickle)
 SIZE:D36cm
 Volume:0.024cbm

ITEM:C740 M (Nickle)
 SIZE:D46cm
 Volume:0.046cbm

ITEM:UR1003-6+6
SIZE:D80XH80cm
VOLUME:0.109cbm/pc



ITEM:UR1002-6+6(brass)
SIZE:D100cm
VOLUME:0.125cbm/pc



ITEM:UR1005-12
SIZE:D145XH80cm
VOLUME:0.19cbm/pc



ITEM:WG66
 SIZE:D20XW13XH30cm
 VOLUME:0.033cbm/pc



ITEM:W2011
 SIZE:L33XW28XH30cm
 VOLUME:0.031cbm/pc



ITEM:W124(White)
 SIZE:D47XW38XH38cm
 VOLUME:0.037cbm/pc



ITEM:W2021-2
 SIZE:D71XW37XH40cm
 VOLUME:0.109cbm/pc



ITEM:WG53
 SIZE:D21XW30XH33cm
 VOLUME:0.017cbm/pc



ITEM:W2012
 SIZE:L27XW20XH34cm
 VOLUME:0.022cbm/pc



Item: SG22-18W
Size: D97*H75CM



Item: SG22-18
Size: D97*H75CM



Item: UR980-10
Size: D80*H105CM



Item: UR902-32A
Size: D80CM



Item: UR207-16
Size: D102*H105CM

Item: SG-LT-U2L

Item: UR309
Size: D55*H155CM
Cbm: 0.175
Bulb Qty:4



Item: UC13
Size: L125*W56*H32CM
Cbm: 0.22
Bulb Qty: 13



Item: WG70S
Size: D21*W22*H28CM
Cbm: 0.015



Item: C2014-3M
Size: L98*W22*H90CM
Cbm: 0.03
Bulb Qty: 3

Item: SG-LT-U2L


▲LT-01.7
D1500xH2000
6xT5/32W




▲L10009-H18
D800xH1110
18xE14/40W



▲LT-08
D1200xH2000
93xE14/25W



◀L12091-H15
820x950
15xE27/40W




Item: SG-LT-RBC



◀ L12107-L
D800
1xE27/60W

◀ L12107-M
D600
1xE27/60W



▲ L12107-S
D400
1xE27/60W


▲ L12107-A
D500
1xE27/60W



▲ L12095-F1
D450xH1400
1xE27/100W



▲ L12095-T1
D370xH770
1xE27/60W



▲ MT1114-1
L350xW175xH600
1xE27/60W



▲ ML1114-1
L400xW200xH1600
1xE27/100W




◀ L12097-F1
D600xH1623
1xE27/60W



◀ L12059-T1
Φ350xH500
1xE27/60W



▲L12100-H
D510xH370
1xE27/40W



▲MD9710-10
D500xH1100
10xG4/20W

MD9710-15
D700xH1300
15xG4/10W

MD9710-20
D900xH1500
20xG4/10W

MD9710-20B
D780xH1400
20xG4/10W



▲L12051-H1B
D550xH1200
1xE27/60W



▲L12051-H1A
D550xH1200
1xE27/60W

HONEYCOMB



Model No: L-CD-186
Size: Dia. 600xH. 1000mm
LED SMD 70W
CT: 3000K/4000K/6000K
Finish Color: WH/BK/G/CF



Model No: L-CD-185
Size: Dia. 400xH. 1000mm
LED SMD 40W
CT: 3000K/4000K/6000K
Finish Color: WH/BK/G/CF



Model No: L-XX-13
 Size: Dia. 600xH. 60mm
 LED SMD 50W
 CT: 3000K/4000K/6000K
 Finish Color: WH/BK/G/CF



Model No: L-CD-1033
 Size: Dia. 800xH. 1400mm
 LED SMD 100W
 CT: 3000K/4000K/6000K
 Finish Color: WH/BK/G/CF



Model No: L-XX-10
 Size: Dia. 400xH. 45mm
 LED SMD 30W
 CT: 3000K/4000K/6000K
 Finish Color: WH/BK/G/CF



Model No: L-CD-662
 Size: Dia. 800xH. 1400mm
 LED SMD 100W
 CT: 3000K/4000K/6000K
 Finish Color: WH/BK/G/CF



Model No: L-CD-660
 Size: Dia. 600xH. 1200mm
 LED SMD 60W
 CT: 3000K/4000K/6000K
 Finish Color: WH/BK/G/CF



Model No: L-CD-79
Size: Dia. 670xH. 1000mm
LED SMD 9*5W
CT: 3000K/4000K/6000K
Finish Color: WH/BK/G/CF



Model No: L-CD-64
Size: 730x225xH. 1000mm
LED SMD 2*18W
CT: 3000K/4000K/6000K
Finish Color: WH/BK/G/CF



PT-G9 417/6
6*G9 Max 25W
bulb incl.
Φ300*H1200mm



PT-E27 251/1
1*E27 bulb excl.
Φ300*H1200mm



PT-E27 249/1
1*E27 bulb excl.
Φ400*H1200mm



PT-LED 513/1
1*5W LED incl.
Φ 100*H1200mm



PT-LED 513/1G
5W LED incl.
Φ100mm*H1200mm



PT-LED 458/16
16*3W LED incl.
Ø500*H1200mm

Item: SG-LT-ZPL

WALL LAMP



	Item NO:	MH-BD-WG-YED	APPLE LED source parameters	
	Color available:	Red/Black	Power consumption:	7W/8W
	Materials:	Iron	Efficiency:	550lm
	Power supply:	110V/220V~50/60Hz	Color temperature:	2200-6500K
	Holder type:	E27/E26	Beam angle:	300°
	Weight:	2kg		
	Ip rating:	IP20		

	Item NO:	MH-BD-WG-YSD	APPLE LED source parameters	
	Color available:	Red/Black	Power consumption:	7W/8W
	Materials:	Iron	Efficiency:	550lm
	Power supply:	110V/220V~50/60Hz	Color temperature:	2200-6500K
	Holder type:	E27/E26	Beam angle:	300°
	Weight:	1kg		
	Ip rating:	IP20		

Item: SG-LT-MHS

P

PENDANT
Lamp



Red

White

Black

	Item NO:	D270-LA60-YT-01	APPLE LED source parameters	
	Color available:	Red/White/Black	Power consumption:	7W/8W
	Materials:	Iron	Efficiency:	550lm
	Power supply:	110V/220V~50/60Hz	Color temperature:	2200-6500K
	Holder type:	E27/E26	Beam angle:	300°
	Weight:	0.84kg		
Maximal power:	25W			



GEOMETRIC

Pendant Lamp

	Item NO:	MH-DD-SJX	APPLE LED source parameters	
	Color available:	Silver / Black	Power consumption:	7W/8W
	Materials:	Iron	Efficiency:	550lm
	Power supply:	110V/220V~50/60Hz	Color temperature:	2200-6500K
	Holder type:	E27/E26	Beam angle:	300°
	Weight:	2.1kg		
	Maximal power:	25W		



G EOMETRIC

Floor Lamp

	Item NO:	MH-LDD-LJX	APPLE LED source parameters	
	Color available:	Silver / Black	Power consumption:	7W/8W
	Materials:	Iron	Efficiency:	550lm
	Power supply:	110V/220V~50/60Hz	Color temperature:	2200-6500K
	Holder type:	E27/E26	Beam angle:	300°
	Weight:	4.85kg		
	Maximal power:	25W		





NORDIC

Desk Lamp

	Item NO:	MH-TD-BOZMD	APPLE LED source parameters	
	Color available:	Dark Gray Amber	Power consumption:	7W/8W
	Materials:	Marble Glass	Efficiency:	700lm
	Power supply:	110V/220V~50/60Hz	Color temperature:	2200-6500K
	Holder type:	E27/E26	Beam angle:	300°
	Weight:	3.07kg		
	Ip rating:	IP20		



BAMBOO

Desk Lamp

	Item NO:	MQ-FY-ZMD-PG-04W	APPLE LED source parameters	
	Color available:	Bamboo	Power consumption:	3.5W
	Materials:	Bamboo Aluminum	Efficiency:	300lm
	Power supply:	DC5V	Color temperature:	2200-6500K
	Holder type:	E27/E26	Beam angle:	300°
	Weight:	0.9kg		
	IP rating:	IP20		



■
Black



■
Silver

BIRD CAGE

Desk Lamp-A

	Item NO:	MH-TD-NLII-GD	APPLE LED source parameters	
	Color available:	Silver / Black	Power consumption:	7W/8W
	Materials:	Iron Marble	Efficiency:	550lm
	Power supply:	110V/220V~50/60Hz	Color temperature:	2200-6500K
	Holder type:	E27/E26	Beam angle:	300°
	Weight:	3.02kg		
	Maximal power:	25W		



■
Silver



■
Black

BIRDCAGE

Desk Lamp-B

	Item NO:	MH-TD-NLII-AD	APPLE LED source parameters	
	Color available:	Silver / Black	Power consumption:	7W/8W
	Materials:	Iron Marble	Efficiency:	550lm
	Power supply:	110V/220V~50/60Hz	Color temperature:	2200-6500K
	Holder type:	E27/E26	Beam angle:	300°
	Weight:	2.81kg		
	Maximal power:	25W		






■ Silver



■ Black

C-SIMPLE Desk Lamp



Item NO:	MH-TD-CX	APPLE LED source parameters	
Color available:	Silver / Black	Power consumption:	7W/8W
Materials:	Iron Marble Glass	Efficiency:	550lm
Power supply:	110V/220V~50/60Hz	Color temperature:	2200-6500K
Holder type:	E27/E26	Beam angle:	300°
Weight:	4.37kg		
Maximal power:	25W		



■ Silver



■ Black

-C-SIMPLE

Floor Lamp

	Item NO:	MH-LDD-CX	APPLE LED source parameters	
	Color available:	Silver / Black	Power consumption:	7W/8W
	Materials:	Iron Marble Glass	Efficiency:	550lm
	Power supply:	110V/220V~50/60Hz	Color temperature:	2200-6500K
	Holder type:	E27/E26	Beam angle:	300°
	Weight:	7.5kg		
	Maximal power:	25W		



3/ 



6/ 



THE SPIRAL

DROPLIGHT

	Item NO:	MH-DD-LXD-YSD	APPLE LED source parameters	
	Color available:	White / Red / Amber /Clear	Power consumption:	7W/8W
	Materials:	Metal Glass	Efficiency:	550lm
	Power supply:	110V/220V~50/60Hz	Color temperature:	2200-6500K
	Holder type:	E27/E26	Beam angle:	300°
	Weight:	1,9kg/pc		
Maximal power:	25W			



9/💡



12/💡



T HE SPIRAL DROPLIGHT

	Item NO:	MH-DDW-LXD-BLPA	APPLE LED source parameters	
	Color available:	White / Red / Amber / Clear	Power consumption:	7W/8W
	Materials:	Metal Glass	Efficiency:	550lm
	Power supply:	110V/220V~50/60Hz	Color temperature:	2200-6500K
	Holder type:	E27/E26	Beam angle:	300°
	Weight:	1,9kg/pc		
	Maximal power:	25W		



ADJUSTABLE DROPLIGHT

7/ 



	Item NO:	MH-DD-CPD-PGYP-5D	APPLE LED source parameters	
	Color available:	White/Red/Amber/clear	Power consumption:	7W/8W
	Materials:	Iron	Efficiency:	550lm
	Power supply:	110V/220V~50/60Hz	Color temperature:	2200-6500K
	Holder type:	E27/E26	Beam angle:	300°
	Weight:	5kg		
	Ip rating:	IP20		



ADJUSTABLE DROPLIGHT

	Item NO:	MH-DD-CPD-PGYP-5D	APPLE LED source parameters	
	Color available:	White/Red/Amber/clear	Power consumption:	7W/8W
	Materials:	Iron	Efficiency:	550lm
	Power supply:	110V/220V~50/60Hz	Color temperature:	2200-6500K
	Holder type:	E27/E26	Beam angle:	300°
	Weight:	5kg		
Ip rating:	IP20			

5/





T RUMPET DROPLIGHT

	Item NO:	MH-DD-CPD-LBP-10D	APPLE LED source parameters	
	Color available:	Black	Power consumption:	7W/8W
	Materials:	Iron/Glass	Efficiency:	550lm
	Power supply:	110V/220V~50/60Hz	Color temperature:	2200-6500K
	Holder type:	E27/E26	Beam angle:	300°
	Weight:	9kg		
	Ip rating:	IP20		




P UMPKIN DROPLIGHT

	Item NO:	MH-DD-CPD-TYQ-5D	APPLE LED source parameters	
	Color available:	Black	Power consumption:	7W/8W
	Materials:	Iron	Efficiency:	550lm
	Power supply:	110V/220V~50/60Hz	Color temperature:	2200-6500K
	Holder type:	E27/E26	Beam angle:	300°
	Weight:	6kg		
	Ip rating:	IP20		



DANDELION
Pendant
Lamp
22/ 



22/ 

DANDELION

Pendant Lamp

	Item NO:	MH-DD-PGY	APPLE LED source parameters	
	Color available:	Silver / Black	Power consumption:	7W/8W
	Materials:	Aluminium alloy Glass	Efficiency:	550lm
	Power supply:	110V/220V~50/60Hz	Color temperature:	2200-6500K
	Holder type:	E27/E26	Beam angle:	300°
	Weight:	17,1kg		
	Maximal power:	25W		



22/ 



14/ 

DANDELION

Pendant Lamp

	Item NO:	MH-DD-XPGY	APPLE LED source parameters	
	Color available:	Silver / Black	Power consumption:	5W
	Materials:	Aluminium alloy Glass	Efficiency:	300lm
	Power supply:	110V/220V~50/60Hz	Color temperature:	2200-6500K
	Holder type:	E27/E26	Beam angle:	300°
	Weight:	10kg		
	Maximal power:	25W		






LS-AF256
Size: L28xW28xH168cm
Inner box: L78xW33,5xH21,2cm

LS-AF257
Size: L40xW25xH164cm
Inner box: L64xW43xH19cm



LS-MT1638
Size: L15xW30xH56cm
Inner box: L16xW31xH58cm



LS-PCF445
Size: L27xW24,5xH151cm
Inner box: L38xW38xH25cm



LS-PE1153
Size: L32xW32xH32cm
Inner box: L35xW35xH35cm

LS-PE1159
Size: L19xW19xH58cm
Inner box: L20xW18xH27cm

LS-PE1149
Size: L32xW32xH32cm
Inner box: L32xW32xH85cm

LS-PE1150
Size: L30xW30xH30cm
Inner box: L33xW33xH33cm

LS-PCF449
Size: L30xW30xH160cm
Inner box: L48xW32xH34cm





LS-PE1184
Size: L9xW29xH27cm
Inner box: L30xW10xH31cm



LS-MT1658
Size: L23.5xW9xH24cm
Inner box: L25xW10xH26cm



LS-PE1201
Size: L17xW17xH20cm
Inner box: L18xW18xH24cm



LS-PE1203
Size: L23xW23xH23cm
Inner box: L25xW25xH27cm



LS-PE1202
Size: L21xW21xH30cm
Inner box: L24xW24xH32cm



LS-PE1206
Size: L38xW38xH28cm
Inner box: L40xW40xH30cm



Item: SG-LT-LEL



Item: SG-LT-LEL


ITEM : C5007392
SIZE : 14X10X20CM
BULB : E27X1



ITEM : C5007387
SIZE : 20X19.5X19.5CM
BULB : E27X1



Item: SG-LT-HAD



Item: SG-LT-HAD





ITEM : C5006159-7
SIZE : 16X16X150CM
BULB : E27X7



ITEM : C5006154OV
SIZE : 4.5X4.5X150CM
BULB : E27X1



ITEM : C5006154ZX
SIZE : 4.5X4.5X150CM
BULB : E27X1



ITEM : C5007366
SIZE : 11X11X11CM
BULB : E27X1



ITEM : C5006160
SIZE : 22X22X150CM
BULB : E27X5



ITEM : C5007345
SIZE : 10X10X10CM
BULB : E27X1





KO98DL-L26
46x46x149cm



KO98BU ZI26
18x18x120cm



KO98BT-ZD5
18x18x120cm



KO98DM
36x36x135cm



KO98DL-L0
46x46x149cm



KO98CU
17x17x150cm



KO98BJ
20x20x160cm



KO98BF
19.5x19.5x170cm



KO98CG
28x28x160cm




KO98BN
14x14x110cm



KO98BI
40x40x160cm



KO98BC-O3
14x14x120cm



KO98BC(RED)
14x14x120cm



KO98BC-B4
14x14x120cm



KO98BC-L24
14x14x120cm



KO98BC-WL17
14x14x120cm



KO98BC-WL22
14x14x120cm



KO98CH
19x19x121cm



KO98CH-WL24
19x19x121cm



KO98CZ
20x20x121cm



KO98CV
15x15x120cm



KO98DA
18x18x130cm

Module Led Downlight



SW-CLXX-104

ELF Series



SW-CLXX-101-SF110

1 Series



3 Series



IP65 Series



Northern Europe Series

Recessed Led Downlight



6 Series



D Series



A Series



7 Series



Trunk Led Downlight

Surface LED Downlight



SW-CL15-501

SW-CLXX-510

SW-CL30-508

Grille Led Downlight



SW-GS08-A1/SW-GS09-A1

SW-GS15-A1 / SW-20-A1

SW-GSXX-B1

Led track light



SW-TLXX-06

SW-TLXX-01B

Cabinet led downlight



Surface mounted

Recessed mounted

Recessed mounted



SW-DLR01-C3X



SW-DLB01-C3X



SW-DLB02-C3X



SW-DLB03-C3X



SW-DLB04-C3X



SW-DLB14-C3X

Led Strips



Constant Current Led Strips



SMD2216 Led Strips



SMD3528 Led Strips



SMD5730 Led Strips



Led strip kits



SMD3014 Led Strips



Cabinet led linear light



Aluminum Profiles



illuminative led linear light



Led Controllers



Connectors and wires




Led drivers




LED PANELS

TRIMLESS SERIES


8W
AD PR2408 SQ
 3000K WarmWhite
 4500K DayWhite
 6000K White



15W
AD PR2415 SQ
 3000K WarmWhite
 4500K DayWhite
 6000K White



22W
AD PR2422 SQ
 4949 3000K WarmWhite
 4797 4500K DayWhite
 4798 6000K White



Model No.
 Watts
 Voltage/Frequency
 LED Type
 CRI
 PF
 Beam Angle
 Body Type
 Shape
 Dimension
 Cutting Size

AD PR2408 SQ	AD PR2415 SQ	AD PR2422 SQ
8W	15W	22W
AC:220-240V,50/60Hz	AC:220-240V,50/60Hz	AC:220-240V,50/60Hz
SMD	SMD	SMD
>80	>80	>80
>0.9	>0.9	>0.9
110°D	110°D	110°D
Die Cast Aluminum	Die Cast Aluminum	Die Cast Aluminum
Square	Square	Square
95 x 95x 27mm	145 x145 x 27mm	170 x170 x 27mm
85mm x 85mm	135mm x 135mm	160mm x 160mm




Item: SG-LT-ADX

LED PANELS


TRIMLESS SERIES




8W
AD PR2408 RD
 3000K WarmWhite
 4500K DayWhite
 6000K White



15W
AD PR2415 RD
 3000K WarmWhite
 4500K DayWhite
 6000K White





22W
AD PR2422 RD
 3000K WarmWhite
 4500K DayWhite
 6000K White



Model No.
 Watts
 Voltage/Frequency
 LED Type
 CRI
 PF
 Beam Angle
 Body Type
 Shape
 Dimension
 Cutting Size

AD PR2408 RD	AD PR2415 RD	AD PR2422 RD
8W	15W	22W
AC:220-240V,50/60Hz	AC:220-240V,50/60Hz	AC:220-240V,50/60Hz
SMD	SMD	SMD
>80	>80	>80
>0.9	>0.9	>0.9
110°D	110°D	110°D
Die Cast Aluminum	Die Cast Aluminum	Die Cast Aluminum
Round	Round	Round
Ø100mm x 27mm	Ø145mm x 27mm	Ø170mm x 27mm
D=Ø90mm	D=Ø135mm	D=Ø160mm



LED FLOODLIGHT

COB / SMD SERIES



AD FLD COB Series



AD FLD SMD Series

Model No.	AD FLD COB	AD FLD SMD
Watts	10W/20W/30W/50W/100W/150W/200W	10W/20W/30W/50W/100W/150W/200W
Voltage/Frequency	AC:220-240V,50/60Hz	AC:220-240V,50/60Hz
LED Type	COB	SMD
CRI	>80	>80
PF	>0.9	>0.9
Beam Angle	120'D	120'D
Body Type	Die Cast Aluminum	Die Cast Aluminum
Diffuse Panel	Tempered Glass	Tempered Glass



S512

1. Item size: 300*46*185mm
2. Light source: F5 LED 6pcs
3. Voltage: AC120/277 60Hz
4. Battery: nickel-cadmium 2.4V 300mAh/3.6V 300mAh
5. Emergency duration time: 90 minutes
6. Material: Plastic

S520

1. Item size: 350*18*150mm
2. Light source: 4pcs LED/3W
3. Voltage: AC220V/110V, 50Hz
4. Battery: nickel-cadmium 1.2V, 350mAh
5. Emergency duration time: 2 hours
6. Material: aluminum



S817

- Item size: 200*200*30mm
 Light source: 3pcs LED/3W
 Voltage: AC85-265V, 50Hz
 Material: aluminum



S821

- Item size: 300*130*30mm
 Light source: 2pcs LED/2W
 Voltage: AC85-265V, 50Hz
 Material: aluminum



S505

- Item size: 345*23*142mm
 Light source: 4pcs LED/3W
 Voltage: AC220V/110V, 50Hz
 Material: iron, glass



S818

- Item size: 110*110*30mm
 Light source: 1pcs LED/1W
 Voltage: AC85-265V, 50Hz
 Battery: nickel-cadmium 1.2V, 350mAh
 Emergency duration time: 2 hours
 Material: aluminum



S815

- Item size: 110*110*30mm
 Light source: 1pcs LED/1W
 Voltage: AC85-265V, 50Hz
 Battery: nickel-cadmium 1.2V, 350mAh
 Emergency duration time: 2 hours
 Material: aluminum



S824

- Item size: 110*110*30mm
 Light source: 1pcs LED/1W
 Voltage: AC85-265V, 50Hz
 Battery: nickel-cadmium 1.2V, 350mAh
 Emergency duration time: 2 hours
 Material: aluminum



S809

- Item size: 110*110*30mm
 Light source: 2pcs LED/2W
 Voltage: AC85-265V, 50Hz
 Material: aluminum



S808

- Item size: 110*110*30mm
 Light source: 2pcs LED/2W
 Voltage: AC85-265V, 50Hz
 Material: aluminum



S814

- Item size: 200*200*30mm
 Light source: 3pcs LED/3W
 Voltage: AC85-265V, 50Hz
 Material: aluminum



S1098

Item size:275*70*280mm
Light source: LED2*2W
Voltage: AC220V/110V, 50Hz
Battery: nickel-cadmium 3.6V,800mAh
Emergency duration time: 2 hours
Material:plastic



S401

Input Voltage:AC100-240V 50HZ
Input Power:5W/7W/9W/12W
Light source:SMD2835/5730
Battery:3.7V 1800mAh
Emergency duration time: 4hours
Emergency Device



S304

Item size:φ310*50mm
Light source:21W
Voltage: AC220/110V, 50Hz
Battery: Lithium battery: 3.7V,1200mAh
Emergency duration time: 2 hours
Material:ABS
Optional Configuration:Sound And Light-controlled
Switch or PIR Switch or emergency Device



S305

Item size:φ310*50mm
Light source:21W
Voltage: AC220/110V, 50Hz
Battery: Lithium battery: 3.7V,1200mAh
Emergency duration time: 2 hours
Material:ABS
Optional Configuration:Sound And Light-controlled
Switch or PIR Switch or emergency Device



S308

Item size:φ123mm/φ180mm
Model:12W/18W/24W
Input:AC220V 50/60Hz
Output:DC54-80V 300mA
Ta:30°C Tc:50°C



S601 LED

Item size:1200mm
Light source: 1pcs T8 LED Tube/2pcs T8 LED Tube
Voltage: AC220V 60Hz
Optional Configuration: Emergency Device

Emergency Light Series



Pocket Mosquito Repellent
LED Emergency Lantern





DC Emergency LED Light Series




Mosquito Repellent LED Lights




shtorm
GROUP

Follow us on:  

2007, Saba Tower 1, Cluster E, JLT, Dubai, UAE | PO Box 213951

 + 971 4 4531864 / +971 555914258

 info@shtormgroup.com

 www.shtormgroup.com

**Shtorm Group reserves the right to change / eliminate any product / specification at any time, without prior notice*