

shtorm
GROUP

DOORS & WINDOWS



CONTENTS

02

Aluminium

27

UPVC

44

Wood

59

MDF doors

63

Fire Proof Doors

66

Door Accessories

ALUMINIUM

FEATURES



Watertight Sealer

Preventing water leakage from 4 joints in corner of frame



Airtight Piece

Preventing air and water leakage, as well as preventing irritating dust and smell from getting through.



Safety Lock

Double locking with unlock-warning device to remind the user to fully lock the window.



outside view



inside view


Inside Insect Screen

Newly designed, adding easy grip handle.



Stopper

Preventing finger entrapments as well as shock absorption or sliding panel.



Drain Valve

Releasing rain water from sill to prevent spilling over even during heavy rainstorms.



Bottom Guide

Preventing sliding panel from falling off

ALUMINIUM

FEATURES

Wind loading resistance



Water tightness



Air tightness



Noise Insulation



Color Variations that bring out the beauty of aluminium.



Autumn Brown



Shine Grey



Ivory White



Natural Silver



Natural White



2 PANELS SLIDING
MODEL: SG-DW-LIX-D1



4 PANELS SLIDING
MODEL: SG-DW-LIX-D2



3 PANELS SFS SLIDING
MODEL: SG-DW-LIX-D3



2 PANELS ENTRY SLIDING
MODEL: SG-DW-LIX-D4



4 PANELS ENTRY
SLIDING
MODEL: SG-DW-LIX-D5



3 PANELS 3 TRACKS
SLIDING
MODEL: SG-DW-LIX-D6



DOORS



SINGLE OUT-SWING
(RIGHT)
MODEL: SG-DW-LIX-D8



SINGLE OUT-SWING
(LEFT)
MODEL: SG-DW-LIX-D9



DOUBLE OUT-SWING
(RIGHT)
MODEL: SG-DW-LIX-D10



DOUBLE OUT-SWING
(LEFT)
MODEL: SG-DW-LIX-D11



6 PANELS 3 TRACKS SLIDING
MODEL: SG-DW-LIX-D7



ALUMINIUM

WINDOWS



2 PANELS SLIDING
MODEL: SG-DW-LIX-W₁



4 PANELS SLIDING
MODEL: SG-DW-LIX-W₂



3 PANELS SFS SLIDING
MODEL: SG-DW-LIX-W₃



2 PANELS SINGLE
SLIDING (RIGHT)
MODEL: SG-DW-LIX-W₄



2 PANELS SINGLE
SLIDING (LEFT)
MODEL: SG-DW-LIX-W₅



4 PANELS FSSF
SLIDING
MODEL: SG-DW-LIX-W₆



ALUMINIUM

WINDOWS



SINGLE CASEMENT
(RIGHT)

MODEL: SG-DW-LIX-W7



SINGLE CASEMENT
(LEFT)

MODEL: SG-DW-LIX-W8




DOUBLE CASEMENT

MODEL: SG-DW-LIX-W11



AWNING

MODEL: SG-DW-LIX-W12




FIXED

MODEL: SG-DW-LIX-W18



ALUMINIUM

WINDOWS




2 PANELS FIXED

MODEL: SG-DW-LIX-W15



3 PANELS FIXED

MODEL: SG-DW-LIX-W16



4 PANELS FIXED

MODEL: SG-DW-LIX-W15



OUT-CORNER FIXED

MODEL: SG-DW-LIX-W19



IN-CORNER FIXED

MODEL: SG-DW-LIX-W20



ALUMINIUM

SLIDING DOORS

MODEL: SG-DC-YKN-150ALSD
Single Aluminium
Profile Thickness: 2.0mm
Glass: 5+6A+5 Tempered
Clear Glass





ALUMINIUM

SLIDING DOORS

MODEL: SG-DC-YKN-NS55

Alu thickness: 2.0MM

Surface Finsh: Fluorine carbon spraying

Glass: 6+9A+6 IGU tempered clear



ALUMINIUM

CASEMENT DOORS

MODEL: SG-DC-YKN-ND55

Alu thickness: 2.0MM

Surface Finsh: Fluorine carbon spraying

Glass: 6+9A+6 IGU tempered clear





CASEMENT DOORS

MODEL: SG-DC-YKN-70ALSD

Alu thickness: 2.0MM

Surface Finsh: White Powder Coat

Glass: 5mm Green reflective Glass





CASEMENT PLUS TILT WINDOW

MODEL: SG-DC-YKN-
NW55

Alu thickness: 2.0MM
Surface Finsh: Fluorine
carbon spraying
Glass: 6+9A+6 IGU
tempered clear



CASEMENT WINDOW

MODEL: SG-DC-
YKN-50mm
casement_1



Single Aluminium

Profile Thickness: 1.4mm

Colour: White Powder Coating

Glass: 6mm Temper Clear Glass

Square glass bead

Hardware: Black Handles + Friction Stay



CASEMENT WINDOW (Wood Grain)



MODEL: SG-DC-YKN-
50mm casement_2

Single Aluminium
Profile Thickness: 1.4mm
Colour: Wood Grain Color
Glass: 6mm Temper Clear Glass
Square glass bead
Hardware: Black Handles +
Friction Stay



ALUMINIUM

SLIDING WINDOW

MODEL: SG-DC-YKN-
88ALSD

Single Aluminum

Profile Thickness: 1.4mm

Color: Powder

Coat,Black,White,Grey

Window width: 1150-1800mm

Window Height: 1250-2100mm

Glass: 6mm Temper Clear Glass

Hardware: hook lock, single pulley

Nylon or stainless steel fly screen



ALUMINIUM GLASS LOUVRE

MODEL: SG-DC-YKN-GLASS
LOUVRE (MOVING GLASS
BLADE)

Aluminium powder coating
customised on request

Glass blade space can be
customised

Glass blade thickness 4mm
tempered clear glass

Aluminium Frame profile
thickness 1.4mm



ALUMINIUM LOUVRE

MODEL: SG-DC-YKN-GLASS
ALM LOUVRE (MOVING
ALUMINIUM BLADE)




Aluminium powder coating customised on request
Aluminium blade space can be customised
Aluminium blade thickness 1.2mm
Aluminium Frame profile thickness 1.4mm

UPVC PROFILE

UPVC windows and doors are made from a blend of PolyVinyl Chloride Resin (PVC) and a select blend of additives. This mixture, commonly referred to as “compound“, is critical to achieving the desired processing of the window and door profiles during extrusion and fabrication and imparting long term weather.


UPVC Window and doors give your house its distinctive look. From the outside, they give the house its personal character, from the inside, they give you the light you need and the aesthetic appearance you want for your house.



BENEFITS

- Air tight
- Sound Insulation
- Climate Resistance
- Fire Retardant
- Impact Resistance
- Water Tight
- Maintenance Free
- Corrosion Resistance
- Heat Insulation
- Security

UPVC WINDOWS



MODEL: SG-DC-YKN-U-S001

Size: 1000 X 1200 mm

Colour: White

Glass: Float Glass

Mosquito Net Option: Sliding

MODEL: SG-DC-YKN-U-IC001

Size: 1000 X 1200 mm

Colour: White

Glass: Float Glass

Mosquito Net Option:
Fixed from outside




UPVC WINDOWS




MODEL: SG-DC-YKN-U-OC001
Size: 1000 X 1200 mm
Colour: White
Glass: Float Glass
Mosquito Net Option: Rolled or Folded

MODEL: SG-DC-YKN-U-F001
Size: 600 X 600 mm
Colour: White
Glass: Float Glass



UPVC WINDOWS



MODEL: SG-DC-YKN-U-S002

Size: 1000 X 1500 mm

Colour: White

Glass: Float Glass

Mosquito Net Option: Sliding

MODEL: SG-DC-YKN-U-
IC002


Size: 1000 X 1500 mm

Colour: White

Glass: Float Glass

Mosquito Net Option:

Fixed from outside



UPVC WINDOWS



MODEL: SG-DC-YKN-U-OC002

Size: 1000 X 1200 mm

Colour: White

Glass: Float Glass

Mosquito Net Option: Rolled or
Folded

MODEL: SG-DC-YKN-U-
A001

Size: 600 X 600 mm

Colour: White

Glass: Float Glass

Mosquito Net Option:
Rolled or Folded



UPVC WINDOWS



MODEL: SG-DC-YKN-U-S003

Size: 1000 X 1500 mm

Colour: White

Glass: Float Glass

Mosquito Net Option: Sliding

MODEL: SG-DC-YKN-U-
IC003

Size: 1000 X 1500 mm

Colour: White

Glass: Float Glass

Mosquito Net Option:

Fixed from Outside



UPVC WINDOWS



MODEL: SG-DC-YKN-U-OC003

Size: 1000 X 1500 mm

Colour: White

Glass: Single

Mosquito Net Option: Rolled or Folded



MODEL: SG-DC-YKN-U-K001

Size: 1000 X 1200 mm

Colour: White

Glass: Frosted Glass

UPVC WINDOWS



MODEL: SG-DC-YKN-U-
CG001

Size: 1000 X 1000 mm

Colour: White

Glass: Float Glass

Mosquito Net Option: Rolled
or Folded inside



MODEL: SG-DC-YKN-U-
SG001


Size: 1000 X (1200+450) mm

Colour: White

Glass: Float Glass

Mosquito Net Option: Sliding

UPVC DOORS



MODEL: SG-DC-YKN-U-DWC001

Size: 1800 X 2550 mm

Colour: White


Glass: Float Glass

MODEL: SG-DC-YKN-U-OCD001


Size: 800 X 2000 mm

Colour: White

Glass: Float Glass



UPVC DOORS



MODEL: SG-DC-YKN-U-B001

Size: 800 X 2000 mm

Colour: White



MODEL: SG-DC-YKN-U-B002

Size: 800 X 2000 mm

Colour: White

Glass: Frosted Glass

UPVC ACCESSORIES

GLASS



Low-E Glass



Tinted Glass



Tempered Glass




Reflective Glass



Double Glass



Triple Glass



Float Glass



Mosaic Glass

UPVC ACCESSORIES


CANOPY



Canopy - A



Canopy - B



Canopy - C

UPVC ACCESSORIES

HARDWARE-Sliding Series



Moon Rotating Lock



Roller



Touch Lock



Hook Lock

UPVC ACCESSORIES

HARDWARE-Casement Series



Handle



Door Pivot Hinge



Pivot Hinge



Door Lock



Door Handle




Corner Device

Transmitter

Friction Stay

Connector Rod

Latch





ENTRANCE DOOR



MODEL: SG-DC-YKN-
CG-204

MODEL: SG-DC-
YKN-TG-104S





ENTRANCE DOOR



MODEL: SG-DC-YKN-
PD-202



MODEL: SG-DC-YKN-
PD-411



INTERIOR DOOR



MODEL: SG-DC-YKN-
CD-140



MODEL: SG-DC-YKN-
CD-105

INTERIOR DOOR



MODEL: SG-DC-YKN-
CD-101



MODEL: SG-DC-YKN-
CD-102

INTERIOR DOOR



MODEL: SG-DC-YKN-
CD-109



MODEL: SG-DC-YKN-
CD-141



INTERIOR DOOR



MODEL: SG-DC-YKN-
CD-407



MODEL: SG-DC-YKN-
CD-411



INTERIOR DOOR



**MODEL: SG-DC-YKN-
PD-309**



**MODEL: SG-DC-YKN-
PD-306**

INTERIOR DOOR



**MODEL: SG-DC-YKN-
FLD-107**



**MODEL: SG-DC-YKN-
FLD-101**

INTERIOR DOOR



**MODEL: SG-DC-YKN-
FLD-409**



**MODEL: SG-DC-YKN-
FLD 410**

INTERIOR DOOR



**MODEL: SG-DC-YKN-
FLD-415**



**MODEL: SG-DC-YKN-
FLD-414**

INTERIOR DOOR



**MODEL: SG-DC-YKN-
WD-411**



**MODEL: SG-DC-YKN-
WD-412**

MDF DOORS

(MODEL: SG-DC-YKN)



PVD-180



PVD-009



PVD-108



PVD-109



PVD-110



PVD-022

MDF DOORS

(MODEL: SG-DC-YKN)



PVD-026



PVD-021



PVD-025



PVD-152



PVD-153



PVD-154

MDF DOORS

(MODEL: SG-DC-YKN)



PVD-183



PVD-185



PVD-186



PVD-188



PVD-190



PVD-191

MDF DOORS

COLOUR OPTIONS (MODEL: SG-DC-YKN)



14-3 Oak YKL-03



9017 Golden Teak YKL-P07



9207 Cassia Siamea YKL-P08



9718 Golden Teak YKL-P05



Iron Peach Wood YKL-14



Light Oak YKL-12



Light Oak YKL-P04



Red Pear YKL-P03



Black Walnut YKL-05



Sandal Wood YKL-P08



Red Wood YKL-08



Thai Teak YKL-07



White Ash YKL-01




Sapele YKL-09



Yellow Ash 22 YKL-P03

FIRE PROOF DOORS

(MODEL: SG-DC-YKN)



Features

Steel fire-proof door & frame is made of cold-rolled steel. The door is insulated with fire-proof, material, with its hardware meeting fire-proof, integrity and insulation requirements.

Specifications:

- fire-proof material filed
- normally used with door closer.
- hardware fire-rating temp. ≥ 950
- only available in outswing opening.
- frame should be installed with fire-proof rubber seal.
- door steel skin: 0.8-1.0mm. Frame steel: 1.2-1.5mm



Fire proof rubber

FIRE PROOF DOORS

(MODEL: SG-DC-YKN)



FSD-001



STD-020



STD-045




STD-111



STD-047

FIRE PROOF DOORS

(MODEL: SG-DC-YKN)



STD-027



STD-028



DOOR CLOSER



PANIC BAR



FS001



FS002

DOOR ACCESSORIES

MAIN DOOR LOCKS (MODEL: SG-DC-YKN)



LA-01



LA-02



LA-03



LA-04



LS-03



LS-06



LS-07

DOOR ACCESSORIES

MAIN DOOR LOCKS (MODEL: SG-DC-YKN)



LH-03



LH-04



LH-05




LH-06



LH-02

DOOR ACCESSORIES

INTERIOR DOOR LOCKS (MODEL: SG-DC-YKN)



LE-01



LDL-024



LM-01




LM-04

DOOR ACCESSORIES

INTERIOR DOOR LOCKS (MODEL: SG-DC-YKN)



HL-01



HL-02



HL-03



HL-04



LE-08



LE-10

DOOR ACCESSORIES

LOCK BODY (MODEL: SG-DC-YKN)



LB-001



LB-002



LB-003



LB-004



LB-005



SL-002

DOOR ACCESSORIES

DOOR STOP (MODEL: SG-DC-YKN)



DS-001



DS-002



DS-003



DS-004



DS-005

DOOR ACCESSORIES

HINGE (MODEL: SG-DC-YKN)



H-001



H-002



H-003



H-004



H-005

DOOR ACCESSORIES

LATCH BOLT (MODEL: SG-DC-YKN)



H-001



H-002



H-003



H-004



H-005

DOOR ACCESSORIES

SECURITY HOOK (MODEL: SG-DC-YKN)



SH-001



SH-002



SH-003



SLIDER

DOOR ACCESSORIES

PANIC BAR (MODEL: SG-DC-YKN)



PB-001



PB-003

VIEWER (MODEL: SG-DC-YKN)




V-001



V-002

DOOR ACCESSORIES

FLOOR SPRING (MODEL: SG-DC-YKN)



FS-001



FS-Accessories

DOOR ACCESSORIES

DOOR CLOSURE (MODEL: SG-DC-YKN)



DC-002



AUTOMATIC DOORSILL



DC-003



shtorm
GROUP

**2007, Saba Tower 1, Cluster E,
JLT, Dubai, UAE. PO Box 213951
Phone: +971 4 4531864 | Fax: +9714 4475335**